

L Number	Hits	Search Text	DB	Time stamp
-	219	707/\$.ccls. and data\$base near (replica\$4 duplicat\$5)	USPAT; EPO; JPO	2004/01/29 17:27
-	170	707/\$.ccls. and data\$base near replica\$4	USPAT; EPO; JPO	2002/09/17 13:59
-	170	707/\$.ccls. and data\$base near replica\$6	USPAT; EPO; JPO	2002/09/17 13:59
-	23	707/\$.ccls. and data\$base near replica\$6 and master near data\$base	USPAT; EPO; JPO	2002/09/17 14:00
-	0	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near data\$base and preferen\$5 near order	USPAT; EPO; JPO	2002/09/17 14:01
-	2	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near data\$base and preferen\$5 and histor\$4	USPAT; EPO; JPO	2002/09/17 14:02
-	4	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near data\$base and preferen\$5	USPAT; EPO; JPO	2002/09/17 14:29
-	7	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near data\$base and histor\$4	USPAT; EPO; JPO	2002/09/17 14:03
-	25	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near data\$base	USPAT; EPO; JPO	2002/09/17 14:03
-	24	data\$base near replica\$5.ti.	USPAT; EPO; JPO	2002/09/17 14:14
-	17	707/\$.ccls. and data\$base near replica\$5.ti.	USPAT; EPO; JPO	2002/09/17 14:15
-	35	707/\$.ccls. and data\$base near replica\$5.ab.	USPAT; EPO; JPO	2002/09/17 14:58
-	6	707/\$.ccls. and data\$base near replica\$5.ab. and master near data\$base	USPAT; EPO; JPO	2002/09/17 14:18
-	4	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near (data\$base machine computer)and preferen\$5 and replica\$4 near (data\$base machine computer)	USPAT; EPO; JPO	2002/09/18 14:26
-	0	707/\$.ccls. and data\$base near replica\$5.ab. and select\$4 near extract\$4	USPAT; EPO; JPO	2002/09/17 14:41
-	0	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near (data\$base machine computer)and preferen\$5 and replica\$4 near (data\$base machine computer) and select\$5 near extract\$4	USPAT; EPO; JPO	2002/09/17 14:42
-	6	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and select\$5 near extract\$4	USPAT; EPO; JPO	2002/09/17 14:43
-	1	6167392.pn.	USPAT; EPO; JPO	2002/09/17 14:58
-	64	707/\$.ccls. and preferen\$5 near order	USPAT; EPO; JPO	2002/09/18 08:51
-	50	707/\$.ccls. and preferen\$5 near order and receiv\$3	USPAT; EPO; JPO	2002/09/18 08:53
-	1	707/\$.ccls. and preferen\$5 near order and receiv\$3 near preferen\$5	USPAT; EPO; JPO	2002/09/18 08:52
-	0	707/\$.ccls. and preferen\$5 near order and receiv\$3 and select\$4 near extract\$4	USPAT; EPO; JPO	2002/09/18 08:53
-	4	707/\$.ccls. and preferen\$5 near order and receiv\$3 and select\$4 near retriev\$4	USPAT; EPO; JPO	2002/09/18 08:54
-	5	707/\$.ccls. and preferen\$5 near order and receiv\$3 and select\$4 near (retriev\$4 extract\$4 updat\$4)	USPAT; EPO; JPO	2002/09/18 08:55
-	1	707/\$.ccls. and preferen\$5 near order and receiv\$3 and select\$4 near (retriev\$4 extract\$4 updat\$4) and data near (duplicat\$4 replica\$4)	USPAT; EPO; JPO	2002/09/18 08:59
-	36	707/\$.ccls. and selective near (extract\$4 retriev\$4)	USPAT; EPO; JPO	2002/09/18 09:01
-	1	707/\$.ccls. and selective near (extract\$4 retriev\$4) and data\$5 near replica\$4	USPAT; EPO; JPO	2002/09/18 09:03

-	9	707/\$.ccls. and selective near (extract\$4 retriev\$4) and (stor\$4 update) and data near type	USPAT; EPO; JPO	2002/09/18 09:05
-	201	707/\$.ccls. and data\$base near (duplicat\$4 replicat\$4)	USPAT; EPO; JPO	2002/09/18 09:06
-	0	707/\$.ccls. and data\$base near (duplicat\$4 replicat\$4) and selective near (retriev\$4 extract\$4) and (stor\$4 updat\$4)	USPAT; EPO; JPO	2002/09/18 09:07
-	0	707/\$.ccls. and data\$base near (duplicat\$4 replicat\$4) and reciev44 near preferen\$5	USPAT; EPO; JPO	2002/09/18 09:08
-	0	707/\$.ccls. and data\$base near (duplicat\$4 replicat\$4) and receiv44 near preferen\$5	USPAT; EPO; JPO	2002/09/18 09:08
-	1865	preferen\$5 near order	USPAT; EPO; JPO	2002/09/18 09:08
-	5	receiv\$4 near preferen\$5 near order	USPAT; EPO; JPO	2002/09/18 09:10
-	8	707/\$.ccls. and selective near replica\$4	USPAT; EPO; JPO	2002/09/18 09:14
-	0	707/\$.ccls. and prefren\$4 near order	USPAT; EPO; JPO	2002/09/18 09:14
-	0	707/\$.ccls. and receiv\$4 near prefren\$4]	USPAT; EPO; JPO	2002/09/18 09:15
-	0	707/\$.ccls. and receiv\$4 near prefren\$4	USPAT; EPO; JPO	2002/09/18 09:15
-	13	707/\$.ccls. and receiv\$4 near preferen\$4	USPAT; EPO; JPO	2002/09/18 09:20
-	1	707/\$.ccls. and receiv\$4 near preferen\$4 and replicat\$4	USPAT; EPO; JPO	2002/09/18 09:16
-	3	707/\$.ccls. and receiv\$4 near preferen\$4 and selective	USPAT; EPO; JPO	2002/09/18 09:29
-	1235	707/\$.ccls. and replica\$4	USPAT; EPO; JPO	2002/09/18 09:30
-	203	707/\$.ccls. and replica\$4 and preferen\$4	USPAT; EPO; JPO	2002/09/18 09:55
-	1	707/\$.ccls. and replica\$4 and receiv\$4 near preferen\$4	USPAT; EPO; JPO	2002/09/18 09:30
-	127	707/\$.ccls. and replica\$4 and selective	USPAT; EPO; JPO	2002/09/18 09:55
-	0	707/\$.ccls. and replica\$4 and selective near (extract\$4 retreiv\$4)	USPAT; EPO; JPO	2002/09/18 09:55
-	558848	707/\$.ccls. and replica\$4 and select\$4near (extract\$4 retreiv\$4)	USPAT; EPO; JPO	2002/09/18 09:56
-	9	707/\$.ccls. and replica\$4 and select\$4 near (extract\$4 retreiv\$4)	USPAT; EPO; JPO	2002/09/18 10:09
-	1	707/\$.ccls. and replica\$4 and receiv\$4 near preferen\$4	USPAT; EPO; JPO	2002/09/18 10:08
-	1	707/\$.ccls. and replica\$4 and select\$4 near (extract\$4 retreiv\$4) and criteria	USPAT; EPO; JPO	2002/09/18 10:11
-	170	707/\$.ccls. and replica\$4 and select\$4 and receiv\$4 near (criteria propt\$3 user)	USPAT; EPO; JPO	2002/09/18 10:12
-	170	707/\$.ccls. and replica\$4 and select\$4 and receiv\$4 near (criteria propt\$3 user preferen\$4)	USPAT; EPO; JPO	2002/09/18 10:13
-	2	707/\$.ccls. and replica\$4 and select\$4 near (extract\$4 retriev\$4) and receiv\$4 near (criteria propt\$3 user preferen\$4) and master and replica	USPAT; EPO; JPO	2002/09/18 10:14
-	22	707/\$.ccls. and replica\$4 and select\$4 near (extract\$4 retriev\$4) and receiv\$4 near (criteria propt\$3 user preferen\$4)	USPAT; EPO; JPO	2002/09/18 10:41
-	1483	707/\$.ccls. and replica\$4 receiv\$4 near (criteria pereferen\$4)	USPAT; EPO; JPO	2002/09/18 10:43
-	1441	707/\$.ccls. and replica\$4 receiv\$4 near (criteria pereferen\$4) and select\$4	USPAT; EPO; JPO	2002/09/18 10:45
-	1237	707/\$.ccls. and replica\$4 receiv\$4 near (criteria pereferen\$5) and select\$4 near (extract retreiv)	USPAT; EPO; JPO	2002/09/18 10:45

-	0	707/\$.ccls. and replica\$4 and receiv\$4 near (criteria pereferen\$5) and select\$4 near (extract retreiv)	USPAT; EPO; JPO	2002/09/18 10:46
-	1	707/\$.ccls. and replica\$4 and receiv\$4 near (criteria pereferen\$5)	USPAT; EPO; JPO	2002/09/18 10:49
-	0	707/\$.ccls. and replica\$4 and receiv\$4 adj (criteria pereferen\$5 setting)	USPAT; EPO; JPO	2002/09/18 10:50
-	11	707/\$.ccls. and receiv\$4 adj (criteria pereferen\$5 setting)	USPAT; EPO; JPO	2002/09/18 10:50
-	4	707/\$.ccls. and data\$base near (replica\$6 duplicat\$3) and master near (data\$base machine computer)and preferen\$5 and replica\$4 near (data\$base machine computer) and updat\$4 near data\$3	USPAT; EPO; JPO	2002/09/18 14:27
-	0	prefer\$4 adj order with updat\$4 with data\$base	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:31
-	0	prefer\$4 adj order with updat\$4 and data\$base	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:32
-	0	prefer\$4 adj order with updat\$4 and data\$base	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:32
-	0	prefer\$4 adj order with updat\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:32
-	6	prefer\$7 adj order with updat\$4 with (data data\$base)	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:35
-	9	prefer\$7 adj order with updat\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:38
-	0	prefer\$7 adj order with updat\$4 and prefer\$7 adj order with memory	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:39
-	5	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and memory	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:40
-	2	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and memory and data and data\$base	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:42
-	3	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and data and data\$base	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:42
-	9	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and data	USPAT; EPO; JPO; IBM TDB	2003/06/30 11:12
-	3	prefer\$7 adj order with information with updat\$4 and prefer\$7 adj order and data	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:52
-	4	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and data and information with updat\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:57
-	536	order with updat\$4 with information and prefer\$7 and data and information with updat\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:59
-	111	order with updat\$4 with information and prefer\$7 with order and data and information with updat\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 10:59
-	12	order with updat\$4 with information and prefer\$7 adj order and data and information with updat\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 11:01
-	12	order with updat\$4 with information and prefer\$7 adj order and information with updat\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 11:01
-	0	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and data and prefer\$7 with memor\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 11:13
-	4	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and data and prefer\$7 with stor\$4	USPAT; EPO; JPO; IBM TDB	2003/06/30 11:15

-	2	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and data and prefer\$7 adj stor\$4	USPAT; EPO; JPO; IBM_TDB	2003/06/30 11:16
-	2	prefer\$7 adj order with updat\$4 and prefer\$7 adj order and prefer\$7 adj stor\$4	USPAT; EPO; JPO; IBM_TDB	2003/06/30 11:35
-	0	prefer\$7 adj order with updat\$4 and prefer\$7 adj order with (memor\$4 stor\$4) and prefer\$7 adj stor\$4	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:18
-	233	order adj updat\$4 and prefer\$7 and data and data\$base	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:20
-	3	order adj updat\$4 and prefer\$7 adj order and data and data\$base	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:21
-	3	order adj updat\$4 and prefer\$7 adj order and data and data\$base not "in order to"	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:24
-	2	preferential adj order and data\$base and updat\$4 adj data\$5	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:26
-	0	preferential adj order with updat\$4 and data\$base and updat\$4 adj data\$5	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:27
-	1	preferential adj order with updat\$4 and data\$base	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:27
-	2	preferential adj order same updat\$4 and data\$base	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:28
-	4620	order with updat\$4 with (data data\$base)	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:29
-	15	order with updat\$4 with (data data\$base) and order adj prefer\$4	USPAT; EPO; JPO; IBM_TDB	2003/06/30 14:29
-	7	preferential adj key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:23
-	1	preferential adj key and preferential adj column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:24
-	3	preferential adj column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:25
-	0	preferential adj (table with column)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:25
-	12	preferential with (table with column)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:25
-	12	preferential with table with column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:27
-	1	preferential with table with column and preferential with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:25
-	2948	preferential with column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:25

-	12	preferential with column with table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:25
-	2183	preferential with column and table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:28
-	2	preferential with column and table and preferential with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:27
-	1	preferential with column and table and preferential with key and master with database	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:27
-	1	preferential with table with column and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:28
-	1	preferential with column and table and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:30
-	2948	preferential with column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:30
-	1	preferential with column and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:31
-	1	preferential with column and replica with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:31
-	550	preferential with column and key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:31
-	2273	preferential with column and prefer\$4 withkey	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:31
-	0	preferential with column and prefer\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:31
-	55	prefer\$7 with column and prefer\$7 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:32
-	21	prefer\$7 with column and prefer\$7 with key and prefer\$7 with order	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:32
-	9	prefer\$7 with column and prefer\$7 with key and prefer\$7 with order and master	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/29 17:32
-	2	prefer\$7 with column and prefer\$7 with key and prefer\$7 with order and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:18
-	3	prefer\$7 with column and prefer\$7 with (key group category) and prefer\$7 with order and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:20

-	2	prefer\$7 with column and prefer\$7 with (group category) and prefer\$7 with order and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:20
-	1	prefer\$7 with column and prefer\$7 with (key group category) and prefer\$7 adj order and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:21
-	2	prefer\$7 with column and prefer\$7 with (key group category) and prefer\$7 near3 order and master with data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:25
-	1	prefer\$7 with column and prefer\$7 with (key group category) and prefer\$7 near3 order and master near3 data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:21
-	606904	preferential near3 table nesr column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:25
-	1	preferential near3 table near3 column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:25
-	25	prefer\$7 near3 table near3 column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:31
-	3	prefer\$7 near3 table near3 column and preferential	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:28
-	40	master adj data\$base and replica adj data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:29
-	64	master near4 data\$base and replica near data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:29
-	13	master near4 data\$base and replica near data\$base and preferential	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:29
-	1	master near4 data\$base and replica near data\$base and preferential with column	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:29
-	1	master near4 data\$base and replica near data\$base and preferential with table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:29
-	7	prefer\$7 near3 table near3 column and data\$base	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:31
-	2	prefer\$7 near3 table near3 column and data\$base with (master target main)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:32
-	1	prefer\$7 near3 table near3 column and data\$base with (master target)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/30 08:32